

WASAC UTILITY LTD Water Treatment Engineer (Water Production & Quality) Written Exam - Results

Summary of Assessment Results (104 candidates examined).

Pass mark: 25 / 50 (50%). Distinction: ≥ 37.5 / 50 (75%).

Rank	Code	Q1 /4	Q2 /4	Q3 /4	Q4 /4	Q5 /4	Q6 (Case study) /30	Total /50	%	Result
1	C-070216	3.0	3.5	3.5	2.0	3.0	23.5	38.5	77.0%	DISTINCTION
2	C-070253	3.0	4.0	4.0	4.0	3.0	20.0	38.0	76.0%	DISTINCTION
3	C-070196	3.0	3.5	3.5	3.0	3.5	21.5	38.0	76.0%	DISTINCTION
4	C-070235	4.0	4.0	3.5	2.0	3.0	21.5	38.0	76.0%	DISTINCTION
5	C-070179	3.5	3.5	3.0	3.5	2.5	22.0	38.0	76.0%	DISTINCTION
6	C-070289	3.0	4.0	3.5	3.0	0.0	24.5	38.0	76.0%	DISTINCTION
7	C-070259	1.0	2.0	3.0	3.5	3.0	25.5	38.0	76.0%	DISTINCTION
8	C-070233	4.0	2.0	1.5	3.5	3.0	23.0	37.0	74.0%	PASS
9	C-070232	2.0	3.0	3.0	3.0	3.0	22.5	36.5	73.0%	PASS
10	C-070211	4.0	3.5	4.0	3.0	1.5	20.0	36.0	72.0%	PASS
11	C-070279	3.5	4.0	3.0	3.0	3.0	19.0	35.5	71.0%	PASS
12	C-070263	2.5	3.5	4.0	2.0	2.5	21.0	35.5	71.0%	PASS
13	C-070224	3.0	4.0	3.5	2.0	2.5	20.0	35.0	70.0%	PASS
14	C-070238	2.5	3.5	3.0	1.0	3.0	22.0	35.0	70.0%	PASS
15	C-070269	3.5	1.0	1.0	3.5	1.5	24.5	35.0	70.0%	PASS
16	C-070265	3.5	4.0	3.0	3.5	3.0	17.5	34.5	69.0%	PASS
17	C-070241	3.5	3.5	1.0	3.0	3.5	20.0	34.5	69.0%	PASS
18	C-070406	3.0	2.0	3.5	3.0	1.5	21.5	34.5	69.0%	PASS
19	C-070383	3.0	4.0	2.5	3.5	1.0	20.0	34.0	68.0%	PASS
20	C-070248	3.0	3.0	3.0	2.0	2.0	21.0	34.0	68.0%	PASS
21	C-070361	4.0	1.0	3.5	2.5	2.0	21.0	34.0	68.0%	PASS
22	C-070365	3.0	4.0	0.0	3.5	0.0	23.5	34.0	68.0%	PASS
23	C-070375	3.5	2.5	4.0	2.5	3.0	18.0	33.5	67.0%	PASS
24	C-070215	3.0	4.0	3.5	1.5	2.5	19.0	33.5	67.0%	PASS
25	C-070262	2.0	1.5	3.0	3.0	3.5	20.5	33.5	67.0%	PASS

Rank	Code	Q1 /4	Q2 /4	Q3 /4	Q4 /4	Q5 /4	Q6 (Case study) /30	Total /50	%	Result
26	C-070408	4.0	1.0	4.0	0.5	3.0	21.0	33.5	67.0%	PASS
27	C-070405	4.0	3.0	4.0	3.5	3.5	15.0	33.0	66.0%	PASS
28	C-070387	3.0	4.0	4.0	3.5	2.5	16.0	33.0	66.0%	PASS
29	C-070410	4.0	3.5	4.0	3.0	0.0	18.5	33.0	66.0%	PASS
30	C-070240	3.0	1.0	3.0	0.5	1.5	23.5	32.5	65.0%	PASS
31	C-070245	0.0	3.5	4.0	0.0	3.5	21.0	32.0	64.0%	PASS
32	C-070206	3.0	3.0	0.5	0.0	2.5	23.0	32.0	64.0%	PASS
33	C-070354	3.5	2.5	3.5	3.0	3.5	15.5	31.5	63.0%	PASS
34	C-070385	3.0	3.5	3.0	3.0	3.0	16.0	31.5	63.0%	PASS
35	C-070066	2.5	3.5	3.0	1.5	3.0	18.0	31.5	63.0%	PASS
36	C-070185	2.5	2.5	2.5	2.0	2.5	19.5	31.5	63.0%	PASS
37	C-070221	3.5	4.0	3.5	3.5	3.5	13.0	31.0	62.0%	PASS
38	C-070369	2.0	3.0	4.0	2.5	3.0	16.5	31.0	62.0%	PASS
39	C-070218	4.0	2.5	3.0	2.0	1.5	18.0	31.0	62.0%	PASS
40	C-070230	3.0	3.5	0.0	3.5	2.0	19.0	31.0	62.0%	PASS
41	C-070401	3.5	4.0	4.0	0.0	0.5	19.0	31.0	62.0%	PASS
42	C-070195	3.0	4.0	0.0	1.0	3.5	19.5	31.0	62.0%	PASS
43	C-070257	1.0	1.5	2.5	4.0	2.5	19.5	31.0	62.0%	PASS
44	C-070353	0.0	3.5	2.0	2.0	3.0	20.5	31.0	62.0%	PASS
45	C-070356	1.0	4.0	0.0	2.0	0.0	24.0	31.0	62.0%	PASS
46	C-070409	0.0	3.5	3.5	0.0	0.0	24.0	31.0	62.0%	PASS
47	C-070394	4.0	3.5	4.0	2.5	3.0	13.5	30.5	61.0%	PASS
48	C-070254	2.5	3.0	3.5	2.0	3.0	16.5	30.5	61.0%	PASS
49	C-070374	4.0	3.0	0.0	1.5	1.5	20.5	30.5	61.0%	PASS
50	C-070264	1.0	3.5	4.0	3.0	3.5	15.0	30.0	60.0%	PASS
51	C-070371	3.5	3.0	4.0	2.5	1.5	15.5	30.0	60.0%	PASS
52	C-070377	3.5	4.0	4.0	1.5	1.0	16.0	30.0	60.0%	PASS
53	C-070189	3.5	3.5	3.0	1.0	0.5	18.5	30.0	60.0%	PASS
54	C-070237	2.5	2.0	3.0	3.0	3.0	16.0	29.5	59.0%	PASS

Rank	Code	Q1 /4	Q2 /4	Q3 /4	Q4 /4	Q5 /4	Q6 (Case study) /30	Total /50	%	Result
55	C-070391	2.5	3.5	3.0	0.0	3.0	17.5	29.5	59.0%	PASS
56	C-070249	2.5	4.0	3.0	3.0	3.5	13.0	29.0	58.0%	PASS
57	C-070366	3.0	4.0	2.0	2.5	1.0	16.5	29.0	58.0%	PASS
58	C-070396	1.0	0.0	0.0	1.5	3.0	23.5	29.0	58.0%	PASS
59	C-070379	1.5	4.0	0.0	3.5	3.0	16.5	28.5	57.0%	PASS
60	C-070364	2.0	2.5	3.0	1.0	2.5	17.5	28.5	57.0%	PASS
61	C-070187	3.0	0.5	2.0	3.5	1.5	18.0	28.5	57.0%	PASS
62	C-070403	0.0	0.0	3.5	0.0	0.5	24.5	28.5	57.0%	PASS
63	C-070199	2.5	4.0	3.0	3.5	2.0	13.0	28.0	56.0%	PASS
64	C-070193	2.0	3.0	3.5	2.5	3.5	13.5	28.0	56.0%	PASS
65	C-070359	4.0	2.0	3.0	3.0	1.5	14.0	27.5	55.0%	PASS
66	C-070227	2.5	2.0	3.0	2.5	3.0	14.5	27.5	55.0%	PASS
67	C-070181	3.0	2.0	4.0	0.5	0.0	18.0	27.5	55.0%	PASS
68	C-070202	3.0	3.5	1.5	0.0	1.5	18.0	27.5	55.0%	PASS
69	C-070212	2.0	3.5	1.0	1.0	1.0	19.0	27.5	55.0%	PASS
70	C-070360	1.5	2.0	3.0	1.5	1.5	17.0	26.5	53.0%	PASS
71	C-070217	1.5	1.5	1.5	0.5	1.5	20.0	26.5	53.0%	PASS
72	C-070370	2.5	2.5	1.0	2.0	2.0	15.5	25.5	51.0%	PASS
73	C-070197	2.5	3.5	0.0	3.5	0.0	16.0	25.5	51.0%	PASS
74	C-070376	2.5	2.0	3.5	2.5	1.5	13.0	25.0	50.0%	PASS
75	C-070378	3.0	3.0	3.5	2.0	2.0	11.0	24.5	49.0%	FAIL
76	C-070355	1.5	2.0	3.5	2.0	2.5	13.0	24.5	49.0%	FAIL
77	C-070367	1.0	3.0	3.0	0.5	2.5	14.5	24.5	49.0%	FAIL
78	C-070288	2.5	0.0	0.0	2.0	1.5	18.5	24.5	49.0%	FAIL
79	C-070234	0.0	2.0	0.0	1.0	0.5	20.5	24.0	48.0%	FAIL
80	C-070407	2.0	1.5	3.0	1.5	2.0	13.5	23.5	47.0%	FAIL
81	C-070236	3.5	2.0	1.0	1.5	0.5	15.0	23.5	47.0%	FAIL
82	C-070404	3.0	3.5	0.0	0.0	0.0	17.0	23.5	47.0%	FAIL
83	C-070194	4.0	4.0	4.0	2.0	0.0	8.5	22.5	45.0%	FAIL

Rank	Code	Q1 /4	Q2 /4	Q3 /4	Q4 /4	Q5 /4	Q6 (Case study) /30	Total /50	%	Result
84	C-070373	2.0	3.5	0.0	1.5	0.0	15.5	22.5	45.0%	FAIL
85	C-070352	3.0	3.5	2.0	3.0	1.0	9.0	21.5	43.0%	FAIL
86	C-070010	1.5	3.5	1.5	2.0	1.5	11.5	21.5	43.0%	FAIL
87	C-070382	1.5	2.0	0.0	2.5	1.5	14.0	21.5	43.0%	FAIL
88	C-070358	0.0	1.5	0.0	2.0	0.0	18.0	21.5	43.0%	FAIL
89	C-070372	0.0	0.5	0.0	1.5	0.0	19.5	21.5	43.0%	FAIL
90	C-070380	2.5	4.0	0.0	2.5	1.5	10.5	21.0	42.0%	FAIL
91	C-070077	1.5	1.0	0.5	0.0	2.5	15.5	21.0	42.0%	FAIL
92	C-070207	2.5	3.0	3.5	1.5	1.0	9.0	20.5	41.0%	FAIL
93	C-070201	2.5	2.5	3.5	0.5	1.5	10.0	20.5	41.0%	FAIL
94	C-070184	2.0	1.0	1.0	3.5	2.0	10.5	20.0	40.0%	FAIL
95	C-070400	1.5	2.5	2.0	1.5	1.5	10.5	19.5	39.0%	FAIL
96	C-070351	0.0	1.5	0.0	2.0	0.0	14.5	18.0	36.0%	FAIL
97	C-070239	2.0	1.0	0.5	0.5	2.0	10.5	16.5	33.0%	FAIL
98	C-070389	2.0	1.0	3.0	1.0	1.0	7.5	15.5	31.0%	FAIL
99	C-070368	2.5	3.0	0.0	3.0	0.0	2.5	11.0	22.0%	FAIL
100	C-070384	3.5	4.0	0.0	3.0	0.0	0.0	10.5	21.0%	FAIL
101	C-070208	0.0	0.0	0.0	0.0	0.0	10.5	10.5	21.0%	FAIL
102	C-070183	2.5	2.5	1.0	2.5	1.0	0.5	10.0	20.0%	FAIL
103	C-070388	3.5	0.0	3.5	0.0	0.5	0.0	7.5	15.0%	FAIL
104	C-070386	0.5	1.5	1.0	0.0	0.0	4.0	7.0	14.0%	FAIL

Denise Umunyana

23/09/2026

2Managing Partner

Right Seat

Signed by:

Denise Umunyana
EC350D5B7CCC4D5...